

# SHURE®

LEGENDARY  
PERFORMANCE™

Professional Headphones

SRH240 | SRH440 | SRH550DJ | SRH750DJ | SRH840 | SRH940

# Professional Headphones

## Stereo headphones for every application

From professional monitoring to personal listening, Shure headphones bring together dynamic, high-performance audio with the unparalleled build quality that has made Shure a leader in professional audio for over 85 years. A closed-back design minimizes background noise, while the lightweight construction provides sustained comfort that makes them ideal for any listening experience—whether on the subway, in the DJ booth, or in the recording studio.



# Product Specifications

## SRH240 Professional Quality Headphones

### Overview

The SRH240 Headphones from Shure provide excellent sound reproduction and comfort. With 40mm neodymium dynamic drivers optimized for general listening and monitoring, the SRH240 Headphones reproduce full bass with clear mids and highs. Impedance, power handling and sensitivity are all calibrated for connection to most consumer and professional audio devices.



### Features

- Wide frequency range delivers full bass and detailed highs
- Optimized performance for use with most pro and consumer audio devices
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Legendary Shure quality to withstand the rigors of everyday use
- Replaceable ear pads ensure long product life

### Available Models

SRH240	Includes a threaded 1/4" nickel plated adapter
--------	--

### Specifications

Transducer Type	Dynamic, Neodymium magnet
Driver Size	40 mm
Frequency Range	20 Hz - 20,000 Hz
Sensitivity (@ 1 kHz)	107 dB/mW
Impedance (@ 1 kHz)	38 Ohms
Maximum Input Power	500 mW
Connector	Gold-plated 3.5 mm (1/8") stereo mini jack with 6.35 mm (1/4") threaded adapter
Cable Length/Type	2 meters (6.56 ft) / attached, straight, oxygen-free copper
Removable Ear Pads	Yes
Weight	0.4 lb (181 g) without cable

### Accessories and Replacement Parts

Replacement Ear Pads	HPAEC240
Locking 1/4 Adapter	HPAQA1
Carrying Pouch	HPACP1

**SHURE**<sup>®</sup>  
LEGENDARY  
PERFORMANCE™

# Product Specifications

## SRH440 Professional Studio Headphones

### Overview

The SRH440 Professional Studio Headphones from Shure provide exceptional sound reproduction and comfort. Optimized for home and studio recording, SRH440 headphones reproduce accurate audio across an extended range. Impedance, power handling and sensitivity are all calibrated for professional audio devices such as DJ mixers, mixing consoles, and headphone amplifiers.



### Features

- Enhanced frequency response delivers accurate audio across an extended range
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Impedance and power handling optimized for performance with most pro and consumer audio devices
- Adjustable headband and collapsible construction provide comfort and portability
- Legendary Shure quality to withstand the rigors of everyday use
- Bayonet clip securely locks cable into ear cup
- Replaceable ear cup pads ensure long product life
- 3 meter coiled, detachable cable provides plenty of length and easy storage and replacement

### Available Models

SRH440	Includes a threaded 1/4" gold plated adapter and carrying bag
--------	---

### Specifications

Transducer Type	Dynamic, Neodymium magnet
Driver Size	40 mm
Frequency Range	10 - 22,000 Hz
Sensitivity (@ 1 kHz)	105 dB/mW
Impedance (@ 1 kHz)	44 Ohms
Maximum Input Power	500 mW
Connector	Gold-plated 3.5 mm (1/8") stereo mini jack plug with 6.35 mm (1/4") threaded adapter
Cable Length/Type	3 meters (9.84 ft) / detachable coiled, oxygen-free copper
Removable Ear Pads	Yes
Collapsible	Yes
Weight	0.6 lb (272 g) without cable

### Accessories and Replacement Parts

Replacement Ear Pads	HPAEC440
Locking 1/4 Adapter	HPAQA1
Carrying Pouch	HPACP1
Replacement Cable Assembly	HPACA1

**SHURE**<sup>®</sup>  
LEGENDARY  
PERFORMANCE™

# Product Specifications

## SRH550DJ Professional Quality DJ Headphones

### Overview

The SRH550DJ Headphones from Shure deliver full range audio performance, comfort, and durability for DJ use and personal listening. Dynamic drivers deliver enhanced bass, and supra-aural design with padded ear cups swivel 90 degrees for easy one-ear placement, Replaceable ear pads ensure a long-lasting lifetime of use.



### Features

- Full range frequency response with extended bass
- Closed-back, supra-aural design rests comfortably and securely on the ears with full isolation
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and flexible wearing positions
- Ultra-lightweight design folds to very small size for maximum portability
- Legendary Shure quality to withstand the rigors of everyday use
- Replaceable ear pads ensure long product life
- 2 meter attached cable provides plenty of length
- Carrying bag protects headphones when on the go or not in use

### Available Models

SRH550DJ	Includes a threaded 1/4" gold plated adapter and carrying bag
----------	---

### Specifications

Transducer Type	Dynamic, Neodymium magnet
Driver Size	50 mm
Frequency Range	5 - 22,000 Hz
Sensitivity (@ 1 kHz)	109 dB/mW
Impedance (@ 1 kHz)	32 Ohms
Maximum Input Power	3000 mW
Connector	Gold-plated 3.5 mm (1/8") stereo mini jack plug with 6.35 mm (1/4") threaded adapter
Cable Length/Type	2 meter (6.56 ft) / attached straight, oxygen-free copper
Removable Ear Pads	Yes
Collapsible	Yes
Weight	0.52 lb (235 g) without cable

### Accessories and Replacement Parts

Replacement Ear Pads	HPAEC550
Locking 1/4 Adapter	HPAQA1
Carrying Pouch	HPACP1

**SHURE**<sup>®</sup>  
LEGENDARY  
PERFORMANCE™

# Product Specifications

## SRH750DJ Professional DJ Headphones

### Overview

The SRH750DJ Headphones from Shure deliver world-class audio performance, comfort, and durability to professional DJ's. High impedance and maximized power handling optimize the headphones for use on high-output DJ mixers. Comfortable, padded ear cups swivel 90 degrees and allow easy placement on one ear when mixing. Replaceable cable and included set of replacement ear pads ensure a long-lasting lifetime of use.



### Features

- Maximized power handling for DJ mixers
- Enhanced frequency response tuned to deliver high-output bass with extended highs
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Adjustable, collapsible headband with 90-degree swivel ear cups for comfort and easy one-ear placement
- Legendary Shure quality to withstand the rigors of everyday use
- Bayonet Clip securely locks cable into ear cup
- Replaceable ear pads ensure long product life
- 3m coiled detachable cable provides plenty of length and easy storage
- Carrying Bag protects headphones when on the go or not in use

### Available Models

SRH750DJ	Includes a threaded 1/4" gold plated adapter, carrying bag and replacement set of ear pads
----------	--

### Specifications

Transducer Type	Dynamic, Neodymium magnet
Driver Size	50 mm
Frequency Range	5 - 30,000 Hz
Sensitivity (@ 1 kHz)	106 dB/mW
Impedance (@ 1 kHz)	32 Ohms
Maximum Input Power	3000 mW
Connector	Gold-plated 3.5 mm (1/8") stereo mini jack with 6.35 mm (1/4") threaded adapter
Cable Length/Type	3 meters (9.84 ft) / detachable coiled, oxygen-free copper
Removable Ear Pads	Yes
Collapsible	Yes
Weight	0.5 lb (227 g) without cable

### Accessories and Replacement Parts

Replacement Ear Pads	HPAEC750
Locking 1/4 Adapter	HPAQ1
Carrying Pouch	HPACP1
Replacement Cable Assembly	HPACA1

**SHURE**<sup>®</sup>  
LEGENDARY  
PERFORMANCE™

# Product Specifications

## SRH840 Reference Studio Headphones

### Overview

Designed for professional audio engineers and musicians, the SRH840 Professional Monitoring Headphones from Shure are optimized for studio recording and critical listening. A precisely tailored frequency response and 40mm neodymium dynamic drivers combine with total comfort and durability to provide the ultimate listening experience. The replaceable cable and included set of replacement ear pads ensure a long-lasting lifetime of use.



### Features

- Precisely tailored frequency response delivers rich bass, clear mid-range and extended highs
- Wide, padded headband provides ergonomic fit for superior comfort over extended periods
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Collapsible design for easy storage and portability
- Legendary Shure quality to withstand the rigors of everyday use
- Bayonet clip securely locks cable into ear cup
- Replaceable ear cup pads included to ensure long product life
- 3m coiled detachable cable provides plenty of length and easy storage and replacement

### Available Models

SRH840	Includes a threaded 1/4" gold plated adapter, carrying bag and replacement set of ear pads
--------	--

### Specifications

Transducer Type	Dynamic, Neodymium magnet
Driver Size	40 mm
Frequency Range	5 - 25,000 Hz
Sensitivity (@ 1 kHz)	102 dB/mW
Impedance (@ 1 kHz)	44 Ohms
Maximum Input Power	1000 mW
Connector	Gold-plated 3.5 mm (1/8") stereo mini jack with 6.35 mm (1/4") threaded adapter
Cable Length/Type	3 meters (9.84 ft) / detachable coiled, oxygen-free copper
Removable Ear Pads	Yes
Collapsible	Yes
Weight	0.7 lb (317.5 g)

### Accessories and Replacement Parts

Replacement Ear Pads	HPAEC840
Locking 1/4 Adapter	HPAQA1
Carrying Pouch	HPACP1
Replacement Cable Assembly	HPACA1

# SHURE®

LEGENDARY  
PERFORMANCE™

# Product Specifications

## SRH940 Reference Studio Headphones

### Overview

Designed for professional audio engineers and in-studio talent, SRH940 Headphones from Shure provide accurate response across the entire audio spectrum to deliver smooth high-end extension with tight bass. Superior transient response provides minimal distortion and the collapsible, lightweight design with premium padded headband offer superior comfort and portability. Two included detachable cables (straight and coiled) and a replacement set of velour ear pads ensure a long-lasting lifetime of use.



### Features

- Accurate frequency response delivers smooth high-end extension with tight bass, and superior transient response for minimal distortion
- Lightweight, ergonomic fit with premium padded headband provides superior comfort over extended periods
- Closed-back, circumaural design rests comfortably over the ears and reduces background noise
- Collapsible design with 90-degree swivel ear cups for easy storage and portability
- Legendary Shure quality to withstand the rigors of everyday use
- Bayonet Clip securely locks cable into ear cup
- Replaceable ear pads ensure long product life
- Two included detachable cables (3 m coiled/2 m straight) provides plenty of length and flexible wearing options
- Zippered, hard travel case protects headphones when on the go or not in use

### Available Models

SRH940	Includes a threaded 1/4" gold-plated adapter, zippered travel case, detachable coiled cable, detachable straight cable and additional pair of velour ear pads
--------	---

### Specifications

Transducer Type	Dynamic, Neodymium magnet
Driver Size	40 mm
Frequency Range	5 - 30,000 Hz
Sensitivity (@ 1 kHz)	100 dB/mW
Impedance (@ 1 kHz)	42 Ohms
Maximum Input Power	1000 mW
Connector	Gold-plated 3.5 mm (1/8") stereo mini jack plug with 6.35 mm (1/4") threaded adapter
Cable Length/Type	Coiled: 3 meters (9.84 ft) / detachable, oxygen-free copper Straight: 1.37 meters (4.5 ft) / detachable, oxygen-free copper
Removable Ear Pads	Yes
Collapsible	Yes
Weight	0.71 lb (322 g)

### Accessories and Replacement Parts

Replacement Ear Pads	HPAEC940
Locking 1/4 Adapter	HPAQA1
Zippered, Hard Travel Case	HPACC1
Replacement Coiled Cable Assembly	HPACA1
Replacement Straight Cable Assembly	HPASCA1

**SHURE**<sup>®</sup>  
LEGENDARY  
PERFORMANCE™

**United States, Canada, Latin America, Caribbean:**  
Shure Incorporated  
5800 West Touhy Avenue  
Niles, IL 60714-4608 USA

Phone: 847-600-2000  
Fax: 847-600-1212 (USA)  
Fax: 847-600-6446  
Email: info@shure.com

**Europe, Middle East, Africa:**  
Shure Europe GmbH  
Wannenäckerstr. 28,  
74078 Heilbronn, Germany

Phone: 49-7131-72140  
Fax: 49-7131-721414  
Email: info@shure.de

**Asia, Pacific:**  
Shure Asia Limited  
22/F, 625 King's Road,  
North Point, Island East,  
Hong Kong

Phone: 852-2893-4290  
Fax: 852-2893-4055  
Email: info@shure.com.hk